














www.FoxBlocks.com
1-877-369-2562

4 Inch Concrete Thickness		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
Straight		9.25 (4" core)	48	NA	5.33 (ext.or int.)	.066 (total)
90° Corner		9.25 (4" core)	38 (ext.) 28.75 (int.)	22 (ext.) 12.75 (int.)	6.67 (ext.) 4.61 (int.)	.07 (total)
45° Angle		9.25 (4" core)	34 (ext.) 30.17 (int.)	18 (ext.) 14.17 (int.)	5.78 (ext.) 3.57 (int.)	.066 (total)










www.FoxBlocks.com
1-877-369-2562

6 Inch Concrete Thickness		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
Straight		11.25 (6" core)	48	NA	5.33 (ext. or int.)	.099 (total)
90° Corner		11.25 (6" core)	40 (ext.) 28.75 (int.)	24 (ext.) 12.75 (int.)	7.11 (ext.) 4.60 (int.)	.105 (total)
45° Angle		11.25 (6" core)	26 (ext.) 21.437 (int.)	18 (ext.) 13.437 (int.)	4.89 (ext.) 3.85 (int.)	.082 (total)
Corbel Ledge		15.75	48	NA	5.61 (ext. curve) 5.33 (int. curve)	.129 (total) .005 (Corbel only)
Taper Top		11.25	48	NA	5.33 (ext. or int.)	.111 (total) .002 (Ledge only)
T-Block Short Leg		11.25 (6" core)	44 (ext.) 12.375 (int.) 20.375 (int.)	4.375 (int.)	4.89 (ext.) 4.61 (int.)	.105 (total)
T-Block Long Leg		11.25 (6" core)	44 (ext.) 12.375 (int.) 20.375 (int.)	12.375 (int.)	4.89 (ext.) 6.39 (int.)	.121 (total)
Radius		11.25	16	NA	1.77(ext. or int.)	.033 (total)





www.FoxBlocks.com
1-877-369-2562

8 Inch Concrete Thickness		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
Straight		13.25 (8" core)	48	NA	5.33 (ext. or int.)	.132 (total)
90° Corner		13.25 (8" core)	42 (ext.) 28.75 (int.)	26 (ext.) 12.75 (int.)	7.56 (ext.) 4.60 (int.)	.145 (total)
45° Angle		13.25 (8" core)	28 (ext.) 22.5 (int.)	20 (ext.) 14.5 (int.)	5.33 (ext.) 4.11 (int.)	.117 (total)
Corbel Ledge		17.75	48	NA	5.61 (ext. curve) 5.33 (int. curve)	.162 (total) .005 (Corbel only)
Taper Top		13.25	48	NA	5.33 (ext. or int.)	.144 (total) .002 (Ledge only)
T-Block Short Leg		13.25 (8" core)	44 (ext.) 11.375 (int.) 19.375 (int.)	4.75 (int.)	4.89 (ext.) 4.47 (int.)	.141 (total)
T-Block Long Leg		13.25 (8" core)	44 (ext.) 11.375 (int.) 19.375 (int.)	8.75 (int.)	4.89 (ext.) 5.36 (int.)	.152 (total)



www.FoxBlocks.com
1-877-369-2562

12 Inch Concrete Thickness		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
Straight		17.25 (12" core)	48	NA	5.33 (ext.or int.)	.198 (total)
90° Corner		17.25 (12" core)	46 (ext.) 28.75 (int.)	30 (ext.) 12.75 (int.)	8.42 (ext.) 4.60 (int.)	.212 (total)